

Material Safety Data Sheet

May be used to comply with
 OSHA'S Hazard Communication Standard
 29 CFR 1910.1200. Standard must be
 consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072

IDENTITY: (As used on label and list) Dazzlens Cleaner or Lens Cleaner	<i>Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</i>
---	--

Section I.

Manufacturer's Name: Mason Products Corp.	Emergency Telephone Number (210) 731-6644
Address (Number, Street, City, State, and ZIP Code) P.O. Box 12172 San Antonio, Texas 78212	Telephone Number for Information (210) 731-6644
	Date Prepared: 03/31/03
	Signature of Preparer (optional)

Section II. Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Isopropanol (2-Propanol) CAS#67-63-0	400ppm	400ppm	(STEL 500 PPM)	N/A
Acetic Acid (Vinegar Acid) CAS#67-64-1	10ppm	10ppm	(STEL 15 PPM)	N/A

Section III. Physical/Chemical Characteristics

Boiling Point	180 °F	Specific Gravity H ₂ O=1	1.051
Vapor Pressure (mm Hg.)	11.0 (Acetic Acid)	Melting Point	NA
Vapor Density (AIR=1)	2.1	Evaporation Rate (Butyl Acetate=1)	NA
Solubility in Water	Yes		
Appearance and Odor	Green -infinitely soluble with characteristic odor		

Section IV. Fire and Explosion Hazard Data

Flash Point (Method Used):	78 °F (P-M)	Flammable Limits: 98.0 °F	LEL	2.3%
			UEL	16.0%
Extinguishing Media:	Dry chemical, alcohol foam, CO2 - water ineffective.			
Special Fire Fighting Procedures:	Cool exposed containers with water.			
Unusual Fire and Explosion Hazards:	Flashback along vapor trail may occur, vapor may explode in an enclosed area.			

Section V. Reactivity Data

Stability	Unstable:	N/A	Conditions to Avoid :	May react with metals and stainless steel.
-----------	-----------	------------	-----------------------	---

Stable:	X						
Incompatibility (<i>Materials to Avoid</i>)	Acetic acid is corrosive- may attack metals.						
Hazardous Decomposition or Byproducts	N/A						
Hazardous Polymerization	May Occur	NA	Conditions to Avoid :				
	Will Not Occur	X	None				
Section VI. Health Hazard Data							
Route(s) of Entry:	Inhalation?	Yes	Skin?	No	Ingestion?	Yes	
Health Hazards (Acute and Chronic):	Eyes - Flush with water for 15 minutes, then contact Physician.						
	Ingestion - Drink water or milk (DO NOT INDUCE VOMITING)						
	Also irritating to nose and throat.						
Carcinogenicity:	No	NTP?	No	IARC Monographs?	No	OSHA Regulated?	No
Signs and Symptoms of Exposure:	Dizziness or dry, cracked skin.						
Medical Conditions Generally Aggravated by Exposure:	None						
Emergency and First Aid Procedures:	Flush eyes with water for 15 minutes, drink milk or water if ingested. Contact Physician.						
Section VII. Precautions for Safe Handling and Use							
Steps to Be Taken in Case Material is Released or Spilled:	Use absorbent - cloth or paper.						
Waste Disposal Method:	Hazardous waste.						
Precautions to be Taken When Handling and Storing:	Store in cool place, avoid open flame or ignition source.						
Other Precautions:	NA						
Section VIII. Control Measures							
Respiratory Protection (<i>Specify Type</i>)	NA						
Ventilation:	Local Exhaust	Yes	Special:	None			
	Mechanical (General)	NA	Other:	NA			
Protective Gloves (specify Type):	No	Eye Protection:	Splash-proof goggles				
Other Protective Clothing or Equipment:	None						
Work/Hygienic Practices:	None						